



Product features

| | |
|---------------------|--------------|
| Height (extendable) | 130 - 230 mm |
| Waterproof | Yes |
| Ph-neutral | Yes |

Schalfix 140 x 160 mm - Time saving of up to one hour per recess

- » No more tinkering with a recess
- » Water- and concrete-tight standard recess
- » Individually adapt to ceiling thickness
- » Nail, glue or attach with magnet to formwork
- » 260x240 or 140x160 mm variant
- » Several Schalfix can be combined for larger recesses

| | |
|----------------------|--|
| Series | - |
| Article No. | P796 |
| Category | Concrete installation |
| Type of installation | Magnet, nail, glue |
| Use | Cast-in-place concrete, prefabrication |
| EAN | 4260182063729 |

Material properties

| | |
|----------|--------|
| Material | PP-HNP |
|----------|--------|



Product features

| | |
|---------------------|--------------|
| Height (extendable) | 130 - 230 mm |
| Waterproof | Yes |
| Ph-neutral | Yes |

Schalfix 240 x 260 mm - Time saving of up to one hour per recess

- » No more tinkering with a recess
- » Water- and concrete-tight standard recess
- » Individually adapt to ceiling thickness
- » Nail, glue or attach with magnet to formwork
- » 260x240 or 140x160 mm variant
- » Several Schalfix can be combined for larger recesses

| | |
|----------------------|--|
| Series | - |
| Article No. | P807 |
| Category | Concrete installation |
| Type of installation | Magnet, nail, glue |
| Use | Cast-in-place concrete, prefabrication |
| EAN | 4260182064368 |

Material properties

| | |
|----------|--------|
| Material | PP-HNP |
|----------|--------|



Ventilation sleeve - Up to 30 min time saving per recess

- » For cast-in-place concrete or prefabrication
- » Screw domes for ventilation plates integrated
- » Direct connection of standardized vents, Ø 125 mm
- » With or without magnet fastening
- » No more tinkering with recesses



Product features

| | |
|---|--------|
| Diameter outside | 138 mm |
| Diameter inside | 135 mm |
| Predetermined breaking point cover for poppet valve | 135 mm |
| Distance screw domes for poppet valve | 102 mm |
| Height | 90 mm |
| Color | orange |
| Diameter of visible area | 155 mm |

| | |
|----------------------|--|
| Series | - |
| Article No. | P827 |
| Category | Concrete installation |
| Type of installation | Nail, glue |
| Use | cast-in-place concrete, prefabrication |
| EAN | 4260182064450 |

Material properties

| | |
|----------|----|
| Material | PP |
|----------|----|

possible manufacturer for use

| |
|-----------------------------------|
| Helios Ventilatoren GmbH + Co KG |
| Zehnder Group AG |
| Maico Elektroapparate-Fabrik GmbH |
| Kermi GmbH |
| Systemair GmbH |
| Wolf GmbH |